LASALLE BRISTOL RMA ROOFING & ACCESSORIES

NEW!

XTRM ROOFING

RMA XTRM-PLY is a flexible, durable PVC membrane designed to meet the unique challenges of a RV roof. Unlike other RV roofs, RMA XTRM is a solid material that will not chalk and stain the side of your RV. It does not require periodic expensive re-coating. It is naturally fire retardant and UV resistant. Once installed-easy to patch/repair with PVC cement. Designed to be installed with; RMA adhesive, sealants and butyl tape only.

RMA XTRM PVC roofing:

87699 9'6" x 21' roll *#1700534142711421* ◆ 1
87700 9'6' x 25' roll *#1700534142711425* ◆ 1
87701 9'6' x 30' roll *#1700534142711430* ◆ 1
87702 9'6" x 35' roll *#1700534142711435* ◆ 1
87703 9'6" x 40' roll *#1700534142711440* ◆ 1

EXP 90 ADHESIVE

RMA EXP 90 is acrylic water borne adhesive designed to be used with RMA XTRM-PLY roofing membranes. Creates a strong bond yet remains flexible. Excellent coverage and easy to apply. Use on moisture absorbent substrates, not on metal, fiberglass or membrane to membrane applications.

EXP 90 Adhesive:

87708 2 gallon *#270341415* 1
87709 5 gallon *#27034141* 1

RMA BUTYL TAPE

RMA Butyl tape is a Polysul-Grip tape designed to be used with RMA XTRM-PLY roofing membranes. A superior adhesive/sealant Butyl tape that will not crack under stresses of road vibration and temperature fluctuations. Provides excellent adhesion to porous and non-porous materials that improves with age.

87704 1/8 x 3/4 x 60' butyl tape *#270341410* 16
87705 3/32 x 1-1/2 x 45' butyl tape *#270341411* 16

RMA SEALANTS

RMA sealants are specifically designed to be used with RMA XTRM-PLY PVC roofing membranes. Helps create a water tight seal along the roofs edges, vents, AC units and screw heads. Cures fast, non-yellowing and highly weather resistant. A superior sealant that will not shrink-remains flexible over time

87706 White 10.1 oz tube, Self leveling sealant (for horizontal surfaces) *#27034143* 30
87707 White 10.1 oz tube, Non-sag sealant (for vertical surfaces) *#27034147* 30

RMA XTRM-PLY INSTALLATION KIT

Contains 2 gallons of RMA EXP 90 adhesive, 6 -10.1 oz cartridges of RMA XTRM 100 self leveling sealant, and 150' of Butyl tape.

87710 Installation kit *#2703414KIT* 1

ELIXIR INDUSTRIES SINCE 1948

Made for Rubber Roofs! PLAS-T-COTE® RUBBER ROOF COATING

Use over RV rubber roofs, at seams and tears, and to seal vents, air conditioners, etc. Has outstanding exterior durability and high adhesion to rubber. Expands and contracts with roof. Resists cracking and withstands impact. UV resistant, non-polluting and non-toxic. White. Cover up to 200 sq. ft. per gallon.

Plas-T-Cote Rubber Roof Coating

40119 White, Quart *#46032* 12
40120 White, Gallon *#46128-4* 4

ELIXIR INDUSTRIES SINCE 1948

ELIXIR INDUSTRIES PLAS-T-COTE® DELUXE RUBBER ROOF COATING

Elixir's PLAS-T-COTE® Deluxe Rubber Roof Coating is designed to meet the ever changing needs of our customers. In working with our partners, we have designed the Deluxe Rubber Roof Coating to withstand the harshest environmental elements. Protect your property and investment with Elixir's PLAS-T-COTE® Deluxe Rubber Roof Coating and rest in the fact that your property is covered by one of the best engineered roof coatings available.

Product Information: • Use over Rubber Roofs. • Seals Seams and Tears. • Seals Mounting Sites for Vents and Air Conditioners. • High Level of Exterior Durability. • 40% Greater Adhesion to Rubber. • U.V. Resistant. • Expands and Contracts with Roof. • Resists Cracking. • Withstands Impacts. • Non-Polluting and Non-Toxic.

Plas-T-Cote® Deluxe Rubber Roof Coating, White:

45030 Quart *#16-44032* 12
45031 Gallon *#16-44128-4* 4

ELIXIR INDUSTRIES SINCE 1948

ELIXIR INDUSTRIES PLAS-T-COTE® ELASTOMERIC 100% ACRYLIC ROOF COATING

Use over asphalt roof shingles, galvanized steel, concrete wood, polyurethane foam and bitumas built up roofs (BUR's). Used as a reflective and protective coating. Has outstanding exterior durability and UV resistance. Expands and contracts with roof. Resists cracking and withstands impact. Non-polluting and non-toxic. One gallon covers up to 200 sq. ft.

Plas-T-Cote White Elastomeric Roof Coating:

49682 Quart *#47032* 12
49683 Gallon *#47128* 4
49684 5 Gallon *#47640* ◆1

DICOR RUBBER ROOFING PRODUCTS

dicor products
a dicor company

THE RV ROOFING EXPERTS

RUBBER ROOF COATING SYSTEM

Extend the life of your rubber roof! Two part, commercial grade system combines a cleaner/activator necessary for proper roof preparation and an acrylic coating that provides an excellent protective barrier for extending the life of the EPDM rubber membrane. Saves over 25% in labor compared to similar systems. Quick drying time.

Part 1: Cleaner/Activator cleans and prepares EPDM roofing for maximum adhesion of acrylic coating. Spray on and rinse off thoroughly.Coverage rate 125 sq. ft. per quart.

46891 1 Qt. Rubber Roof Cleaner/Activator *#RP-CRP-Q* 4

Part 2: Acrylic Coating excellent protective barrier extends the life of your rubber roof membrane. Provides superior weatherability, UV resistance. Use with Dicor Rubber Roof Cleaner/Activator for proper adhesion. Requires two coats. Coverage rate of 1 gallon per 125 sq. ft. per coat.

46892 1 Gallon White Rubber Roof Acrylic Coating
#RP-CRC-1 4

RV ROOF RENEW KIT

Make your roof look new again! Includes four gallons of Dicor White Acrylic Roof Coating, two quarts of Dicor Cleaner/ Activator, one 4" x 50' Roll Coating Ready Cover Tape, one Metal Pan, one 9" Paint Roller, two 9" Roller Covers, one roll 1" Masking Tape. Each kit comes with a warranty and easy to follow instructions. Contents will cover a 30 ft. unit. Individual components can be purchased separately.

85933 RV Roof Renew Kit
#RP-RRK-30 ◆ 1

RESTORE

Dicor Products has developed coating systems to restore all types of RV roofs. We have found some "roofing products" being sold actually harm RV roofing and void the warranty. As the RV roofing experts, we feel it's important to give RVers products they can trust, for any type of RV roof. The systems offered by Dicor will safely and effectively repair and restore your RV roof's appearance.

FIBERGLASS ROOF COATING SYSTEM

NEW!

Part 1: Fiberglass Clean and Prep
To ensure proper adhesion of Dicor Fiberglass RV Roof Coating to a fiberglass roof, it is essential to first prepare the surface using Dicor Fiberglass Clean & Prep. Dicor Fiberglass Clean & Prep is specifically formulated to remove all wax, oils, road grit and other contaminates on gel coat and to enhance the adhesion of the roof coating.

FAST ACTING FORMULA • BIO DEGRADABLE • EASY TO USE

48161 Fiberglass Clean and Prep, Gal
#RP-FCP-1 6

NEW!

Part 2:
Fiberglass RV Roof Coating
This 100% acrylic resin coating forms a flexible layer over any fiberglass roof to protect and beautify. Dicor Fiberglass RV Roof Coating gives roofs a super bright white finish, which resists mildew and algae and reflects the sun's heat to help keep the interior cooler. Always use Dicor Fiberglass Clean & Prep and allow to dry before applying this Coating product. Two coats are required. One gallon of Dicor Fiberglass RV Roof Coating will cover 350 sq. ft. per coat.

PROTECTS ROOF • EASY TO APPLY • SOAPY WATER CLEAN UP

48221 Fiberglass RV Roog Coating, Quart *#RP-FRC-Q* 6
48164 Fiberglass RV Roog Coating, Gal *#RP-FRC-1* 4

◆ *Not UPS-able;* ▲ *Hazmat terms apply;* LS *Limited Supply*

NEW!

METAL ROOF COATING SYSTEM

METAL ROOF RUST INHIBITIVE PRIMER

When rust is encountered on the metal roof of an RV, mobile home, horse trailer or other metal roofs it is essential to use Dicor Metal Roof Rust Inhibitive Primer to prepare the roof prior to coating. First remove all surface rust, dirt and debris with a wire brush. Rinse with alcohol, then apply Dicor Rust Inhibitive Metal Primer. It is specifically designed to reduce further corrosion of metal roofs and enhances the adhesion of the Dicor Elastomeric Metal RV Roof Coating.

HELPS CONTROL RUST • WATER CLEAN UP • EASY TO USE

48296 Metal Roof Rust Inhibitor Primer, Quart
#RP-MRRIP-Q 6

48295 Metal Roof Rust Inhibitor Primer, Gal
#RP-MRRIP-1 4

COATING READY COVER TAPE

For use on metal RV roofing, Dicor Coating Ready Cover Tape is a fleece backed sealing tape for use on metal RV roofing seams prior to coating. Its aggressive grip provides immediate sealing on contact and cures completely in 24 hours. Must be followed with Dicor Elastomeric Coating.

44740 Coating Ready Cover Tape *#RP-CRCT-4-1C* 4

ELASTOMERIC METAL RV ROOF COATING

For use on metal RV roofing **(NOT RECOMMENDED FOR EPDM RUBBER OR TPO ROOFING)** Dicor Elastomeric RV Roof Coating protects and beautifies metal, aluminum, steel, and previously coated RV roofs. Dicor Elastomeric RV Roof Coating is formulated with 100% Acrylic Elastomeric resins to form a rubber-like coating that will expand and contract with the roof movement. Arctic White RV Elastomeric is brilliant white to provide a superior reflectivity, thereby lowering interior temperatures. Requires two coats for adequate protection at an application rate of 1 gallon per 200 sq. ft. per coat.

Elastomeric Roof Coating:
44742 Quart *#RP-MRC-Q* 6
44744 Gallon *#RP-MRC-1* 4

dicor products
a dicor company

CLEAN & PROTECT

Dicor's roof care and maintenance products contain no harmful petroleum distillates, harsh abrasives or citric ingredients that can cause irreparable damage.

RUBBER ROOF CLEANER

Formulated specifically for RV rubber roofing, this bio-degradable deep cleaning formula lifts dirt and grime, yet is gentle on the surface. Simply spray on, brush with a bristle brush and rinse off. For best results follow with Dicor Roof Gard Roof Protectant.

46893 16 oz. Concentrated *#RP-RC160C* 12

Ready to Use Rubber Roof Cleaner:
46894 32 oz. Trigger *#RP-RC320S* 8
48304 128 oz. Gallon *#RP-RC-1GL* 6

ROOF-GARD RUBBER ROOF UV PROTECTANT

Helps prevent your EPDM rubber roof from the fading, oxidizing, drying and cracking caused by harsh UV rays. The mild, nonabrasive formula keeps surfaces cleaner longer with no residue or oily build-up. Contains no silicone, waxes, glycerine or petroleum distillates. Simply spread evenly with a damp mop or cloth and let air dry. Will not harm rubber roofing.

Roof-Gard Protectant:
46895 32 oz. *#RP-RG320S* 8
48305 1 Gallon *#RP-RG-1GL* 6

dicor products
a dicor company

THE RV ROOFING EXPERTS

As the leading supplier of EPDM rubber roofing for RV's, Dicor now brings you a full line of care and maintenance products made specifically for your roofing needs.

REPAIR

EPDM RUBBER ROOF REPAIR MEMBRANE

Repairs punctures, tears and breaks in EPDM rubber, TPO plastic, metal and fiberglass roofing. This easy to use peel and stick material is made of self-adhering EPDM rubber and conforms to most shapes and surfaces, yet remains flexible and strong.

Rubber Roof Repair Membrane:

78929 6" x 25' Roll *#533RM-6* 1
78721 12" x 25' Roll *#533RM-12* 1

DiSEAL SEALING TAPE

A flexible weather resistant compound designed for sealing EPDM rubber, TPO, fiberglass, wood, plastic, steel or aluminum. Permanently seals most leaks immediately and fully cures within 24 hours. Will not crack, peel or harden. Priced each.

DiSeal Sealing Tape, White:

44094 4" x 50' Roll *#522TPO-450-1C* 4
44099 6" x 6" Patch *#522TPO-66-1C* 12

DiSeal Sealing Tape, Silver:

44091 4" x 50' Roll *#522AF-450-1C* 4
44098 6" x 6" Patch *#522AF-66-1C* 12

PATCHIT ROOF REPAIR KIT

Allows for easy repair of punctures, tears, and breaks that can occur in RV and Manufact-ured housing roofs. The kit includes a 9" x 10" peel and stick EPDM rubber patch and a tube of lap sealant. Quite versatile by design, it can be used to patch EPDM rubber, TPO plastic, metal and fiberglass roofing.

49328 Patchit, White *#402-PR* 12

DICOR RUBBER ROOFING SYSTEM

Dicor Roofing Systems assures a watertight roof that is easy to maintain and saves energy through its heat reflecting characteristics. It is highly puncture and tear resistant, has superior tensile strength and withstands damaging UV rays. The membrane resists uneven weathering, fading or chalkiness. All Dicor Roofing Systems use the same three-part installation procedure. These elements can be purchased separately or as a package in the #76849 roof installation component kit.

BRITE-PLY™ EPDM RUBBER ROOFING SYSTEM

White EPDM:

73425 8'6" x 21' *#85B40-21* ◆ 1
76845 8'6" x 25' *#85B40-25* ◆ 1
76846 8'6" x 30' *#85B40-30* ◆ 1
76847 8'6" x 35' *#85B40-35* ◆ 1
76848 8'6" x 40' *#85B40-40* ◆ 1
87578 9'6" x 21' *#95B40-21* ◆ 1
71878 9'6" x 25' *#95B40-25* ◆ 1
71879 9'6" x 30' *#95B40-30* ◆ 1
71880 9'6" x 35' *#95B40-35* ◆ 1
71881 9'6" x 40' *#95B40-40* ◆ 1

The following Dove (Bright White) membranes should be used on units with Brite White, Snow White, Arctic White or Nu-White sidewalls:

87623 8'6" x 21' *#85D40-21* ◆ 1
87624 8'6" x 25' *#85D40-25* ◆ 1
87625 8'6" x 30' *#85D40-30* ◆ 1
87626 8'6" x 35' *#85D40-35* ◆ 1
87627 8'6" x 40' *#85D40-40* ◆ 1
87628 9'6" x 21' *#95D40-21* ◆ 1
87629 9'6" x 25' *#95D40-25* ◆ 1
87630 9'6" x 30' *#95D40-30* ◆ 1
87631 9'6" x 35' *#95D40-35* ◆ 1
87632 9'6" x 40' *#95D40-40* ◆ 1

BRITETEK™ TPO ROOFING SYSTEM

(may not be suitable for all applications)

86984 8'6" x 21' *#BTF85W-21* ◆ 1
86985 8'6" x 25' *#BTF85W-25* ◆ 1
86986 8'6" x 30' *#BTF85W-30* ◆ 1
86987 8'6" x 35' *#BTF85W-35* ◆ 1
86988 9'6" x 25' *#BTF95W-25* ◆ 1
86989 9'6" x 30' *#BTF95W-30* ◆ 1
86990 9'6" x 35' *#BTF95W-35* ◆ 1
86991 9'6" x 40' *#BTF95W-40* ◆ 1

REPLACE

dicor products
a dicor company

RUBBER ROOF INSTALLATION COMPONENT KIT

Includes two gallons of water based bonding adhesive, 150' of butyl tape used to seal around all the accessories and molding, and six 10.3 oz. tubes of lap sealant. Each kit comes with easy to follow instructions.

76849 Installation Kit *#401-CK* 1
87622 Installation Kit, Dove *#401-CK-D* 1

LAP SEALANT FOR ALL ROOFING APPLICATIONS

Helps create a watertight seal along a roof's edges, around air vents, vent pipes and screw heads. Dicor Lap Sealant is a versatile sealant formulated for EPDM roofing but also compatible with any other roofing material. It offers excellent adhesion to aluminum, mortar, wood, vinyl, galvanized metal and concrete. It improves the ability to continuously seal and remain flexible. Color matched, the lap sealant is UV stabilized to prevent discoloration and deterioration and will not stain or discolor any material to which it is applied.

SELF-LEVELING LAP SEALANT (FOR HORIZONTAL SURFACES)

49329 White Lap Sealant *#501LSW-1* 12
46535 Dove (Bright White) Lap Sealant *#501LDS-1* 12
45027 Ivory Lap Sealant *#501LSV-1* 12

SELF LEVELING LAP SEALANT, CASE/25

95651 White *#502LSW-25* 1
95652 Dove (Bright White) *#502LSD-25* 1

HAPS FREE, SELF LEVELING (CONTAINS NO HAZARDOUS AIR POLLUTING SOLVENTS)

46890 White Lap Sealant *#505LSW-1* 12

NON-SAG (FOR VERTICAL SURFACES)

40401 Non-Sag Lap Sealant, White *#551LSW-1* 12
47150 *NEW!* Non-Sag Lap Sealant, Dove (Bright White) *#551LSD-1* 12

EPDM RUBBER ROOF SYSTEM WATER BASED BONDING ADHESIVE

Water Based Acrylic Bonding Adhesive is environmentally friendly and user safe. Provides excellent coverage and is easy to apply. Application rate of 160 sq. ft. per gal. Use on moisture absorbent substrates, **NOT for use on metal, fiberglass or membrane -to-membrane applications.**

Water-Based Adhesive:
49330 1 Gallon *#901BA-1* 4
78717 5 Gallon *#905BA-5* 1

BUTYL TAPE

Ideal for sealing uniquely shaped joints. Installs quickly, without gaps. Apply along unusual patterns. Because the sealant is on a continuous roll, installer can work fast and be virtually assured that there are no skips or runs in the seal. Priced each.

79233 Butyl Tape only, 1/8" x 3/4" x 30', Each *#BT-1834-1* 24

ELIXIR INDUSTRIES PLAS-T-COTE® FIBERED TRAILER TOP COATING

Coating for metal and fiberglass roofs (not suitable for rubber roofs or homes with asphalt roofing.)

Plas-T-Coat is a non-asphalt, high quality chemically engineered roof coating that contains long fibers, pigments and non-drying resins. It is a thick, white fibered or aluminum fibered colored coating with an amazing ability to conform to, and protect against all weather conditions. It has excellent acoustical and insulating qualities. Plas-T-Coat alkyd stays flexible, contracts and expands with roof seams. Covers 40 sq. ft. per gallon.

Plas-T-Cote Fibered Roof Coating, Aluminum:

40220 1-Quart Can *#43032* 12
40221 1-Gallon Can *#43128* 4
40223 5-Gallon Can *#43640* ◆1

Plas-T-Cote Fibered Roof Coating, White:

40224 1-Quart Can *#45032* 12
40225 1-Gallon Can *#45128* 4
40227 5-Gallon Can *#45640* ◆1

ELIXIR INDUSTRIES PLAS-T-COTE® PATCHING TAPE

Pliable butyl rubber press-on tapes for roof repairs. Stops leaks fast. 1/8" x 2" x 42" roll.

45028 Patch Tape, White *#5129* 12

46471

STICKNBOND ROOF REPAIR KIT

Fixes your leak the moment it makes contact, grabbing all types of surfaces including steel, aluminum, fiberglass, polyethylene, rubber, ABS. ***STICKNBOND White*** is designed for maximum flexibility, durability and UV protection. It will never harden, shrink, streak, or ooze. Applies easily over old roof seams and caulking.

STICKNBOND White:

46471 4" x 37' Roll *#60018* 3
46469 6" x 6" Patch Kit *#60019* 12

47436

47441

Easy to use one step peel and stick process makes roof repairs a snap. Works on all surfaces-rubber, polyethylene, polypropylene, fiberglass, wood, steel, and aluminum.

STICKNBOND White is designed for maximum flexibility, durability and UV protection. It applies easily over old roof seams and roof coating. Eternabond White will never crack, peel, harden, ooze, or loose its grip.

47441 ***NEW!*** 4" x 25' Roll, Bulk *#60023* 6

4" x 60" White Repair Tape Kit for RVs. Great for Roof Repair on all Types of RV Roofs.

47436 ***NEW!*** 4" x 60" Roll *#60021* 6

STICKNBOND Aluminum is ideal for metal roofs, plastic and metal tank repair, ABS, polyethylene, fiberglass, aluminum, or any surface where tensile strength is desired and flexibility is not essential. It will never loose its adhesive quality.

46468 6" x 6" Patch Kit (Not pictured) *#60009* 12

CO-FAIR PRODUCTS INC.

New sizes!

44992

44991

QUICK ROOF™ WATERPROOF REPAIR

White Quick Roof For Rvs.
Same Great Waterproofing! White Aluminum Surface!

Permanent repair for metal and fiberglass roofs. Now with a white enamel coating, Quick Roof's super-reinforced aluminum surface will instantly repair RVs, mobile homes, trucks, trailers, skylights, flashings, or anywhere recurring leaks are a problem. Just peel off the release paper, and press in place for a permanent repair. Not for EPDM roofs.

Quick Roof Waterproof Repair, White:

44991 3" x 25' *#WQR325* 24
44992 6" x 25' *#WQR625* 12

QUICK ROOF FOR RUBBER ROOFS

Quick Roof for Rubber Roofs easily repairs EPDM rubber roofs. With its self-adhesive application, Quick Roof for Rubber Roofs repairs and waterproofs tears and punctures. Just clean the repair area as directed, remove release paper, and press Quick Roof's fully cured EPDM rubber surface in place for a permanent repair.

41347

47448

Quick Roof for Rubber Roofs:

41347 6" x 16' *#RQR-616* 12
41350 6" x 100' *#RQR-6100* 1
47448 6" x 24" *#RQR624* 24

CO-FAIR PRODUCTS INC. QUICK ROOF PATCH

Quick Roof is a self-stick aluminum surface. Just peel off release paper and press in place. Great for quick repair projects on metal & flat roofs, RV & Mobile Homes, Gutters & Flashings, Skylights or anywhere recurring leaks are a problem. Five puncture resistant layers lasts for years. Patches are 4" x 6" each. 5 per package.

47567 Quick Patch, White *#WQR5 Patch* 30

CO-FAIR PRODUCTS INC. RUBBER ROOF EMERGENCY PATCH KIT

The roof repair kit allows for easy repair. Just peel and seal for an instant, permanent repair. Each emergency repair kit contains two alcohol wipes, one scrub sponge, and one 6" x 1' fully cured EPDM rubber patch.

40173 Rubber Roof Emergency Patch Kit *#RR612* 18

CO-FAIR PRODUCTS INC.

QUICK ROOF DOUBLE WHITE FOR EPDM RUBBER ROOFING

• New White Butyl Adhesive. • Self-Stick Surface. • Lasts for Years. • Just Peel Off Release Paper and Press in Place.

Other Features: • Self Adhesive Rubber Roof Repair. • Super strong Rubber Based Adhesive. • Instantly Waterproofs Tears and Punctures. • Fully Cured EPDM Rubber Surface.

Quick Roof Double White for EPDM:

44993 6" x 16' *#WRQR616* 12
44994 6" x 100' *#WRQR6100* 1

INSTANT WATERPROOF REPAIR AND RE-ROOFING

• Self-Stick Aluminum Surface. • Super Reinforced. • Just Press in Place for a Permanent Repair. • Five Puncture Resistant Layers. • 10 Year Material Warranty.

Use Quick Roof for Hundreds of Repair Projects: • Metal & Flat Roofs. • RV & Mobile Homes. • Trucks & Trailers. • Gutters & Flashings. • Skylights. • Anywhere Leaks are a Problem.

Instant Waterproof Repair and Re-Roofing:

44996 3" x 25" *#QR325* 24
44995 6" x 25" *#QR625* 12

AP PRODUCTS WINDSHIELD & HEADLIGHT REPAIR KIT

Damaged windshields and headlights can now be permanently repaired with this professional repair kit. Contains enough material for up to 10 repairs. Stops cracks from spreading and makes bull's-eyes and stars virtually disappear.

27303 LS Windshield & Headlight Repair Kit *#002-90110* 1

DYCO PRODUCTS

#20/20 RV ROOF SEAM SEALANT

Resealing your RV's seams and roof on an annual basis can prevent leaks and could prevent thousands of dollars of damage to your motor home, travel trailer, fifth wheel, or mobile home. 20/20 is a premium synthetic rubber brush on, solvent based caulk sealant used exclusively for sealing seams. Once applied 20/20 Seam Seal gradually forms a flexible water resistant elastometric seal making it ideal for seams around vents, stacks & attached structures such as carports. May be applied at freezing or above. 1 gallon will cover about 50-200 square feet of surface depending on thickness applied and smoothness of the seams. *Not recommended for EPDM rubber roofs.*

20/20 Seam Seal:

46876 Quart, White *#20/20-4* 6
46875 Gallon, White *#20/20-1* 4

#890 ROOF SHIELD & SEAL

A solvent based rubber copolymer roof coating, specially formulated to provide a tough, water resistant seal that remains flexible. Due to its solvent base it will set up in 30 to 60 minutes, eliminating the danger of a wash-off due to a sudden rain. May be applied at freezing or above. When dried, this fortified coating is resistant to dirt pick-up. Protects, beautifies & insulates, with high reflective values for cooling your roof. *Not recommended for EPDM rubber roofs.*

#890 RV & Mobile Home Roof Coating:

46880 Gallon, White *#890-1* 4

REDTREE INDUSTRIES

FOAM BRUSHES

Disposable sponge like brushes with wood handles. For small varnish and touch-up jobs.

77675 1" Foam Brush *#00005 1* 48
77677 2" Foam Brush *#00006 8* 48
77678 3" Foam Brush *#00007 5* 36
77679 4" Foam Brush *#00008 1* 24

DISPOSABLE CHIP BRUSHES

Disposable paint brushes are made of chip bristle with a trim of 1-5/8".

43329 1/2" Brush *#14002* 36
41416 1" Brush *#14012* 36
41523 1-1/2" Brush *#14022* 36
41524 2" Brush *#14032* 24
43330 2-1/2" Brush *#14042* 12
41525 3" Brush *#14052* 12
43331 4" Brush *#14082* 12

THE FOOLER (Chip Brushes)

Don't be fooled by their low price... these brushes have double the thickness of the average chip bristle brush. They are designed for more paint pick-up, more release and less dipping. Use for epoxy, resin, roof coatings and bottom paint. Not for fine finishes.

Fooler Chip Brush:

49933 1" *#10001* 36
49934 1-1/2" *#10015* 36
49935 2" *#10002* 24
49936 2-1/2" *#10025* 12
49937 3" *#10003* 12

RAPID-SET MARINE-TEX

Waterproof epoxy paste in a convenient 1:1 mix for emergency and permanent repairs. Superior bond fills cracks and voids in fiberglass, steel, aluminum, wood, cast iron and many hard plastics. Paintable; can be drilled, tapped and sanded. Excellent for quick machinery and mechanical repairs to get back underway with minimum downtime. Secures hardware and loose fasteners. Cures in one hour at 72° F. Gray.

44324 Rapid-Set, 2-oz. *(Not for sale in Canada) #RM320K* 12

CARRAND™ GATOR SKIN NITRILE GLOVES

Professional grade mechanics gloves. • Textured surface for a better grip. • Chemical & Puncture resistant. • Lightly powdered • Latex free. • One size fits all. 50 pack dispenser box.

41826 Nitrile Gloves *#23029* 20

AP Products

AP PRODUCTS

FIBERGLASS REPAIR KIT

A complete, epoxy and glass reinforced patch kit for all types of repairs to fiberglass fixtures, shrouds and housings commonly found on boats, autos, trucks and RVs. Contains enough material to repair or patch holes up to 1" in diameter or cracks up to 5" in length. Restores damaged areas to full operation in less than 20 minutes. Includes epoxy, sand-paper, fiberglass reinforcing cloth (10 sq. in.) and application brush. Clear. 30 gms. size.

25967 Fiberglass Kit *#002-90230* *12*

DEVCON BATH/TUB REPAIR KIT, PLASTIC

Kit includes a 2-part epoxy system self-contained within a mixing pouch, fiberglass patch, sandpaper and application brush. Permanently fixes holes and cracks up to 1" dia. in 20 minutes, eliminating the need to remove tanks, tubs and shower stalls. Recommended for use on all types of plastic and fiberglass. Almond/White color.

25422 Tub Repair Kit *#002-90216* *6*

COGHLAN'S SPORTSMAN'S REPAIR KIT

For on-the-spot repair of any vinyl, plastic or soft rubber item such as air mattresses, wading pools, boots, toys, etc. Kit contains four 11 1/4" x 1 1/4" rubber patches; one 2 1/2" x 4" rubber patch; .40 fl. oz. cement; 1 metal rasp.

42101 Sportsman's Kit *#860BP* *12*

VLP VINYL REPAIR KIT

VLP fuses together without heat or patch. Easy to use–just apply and let dry. Forms a nearly invisible repair which is guaranteed to be stronger than the original vinyl. Use on seat cushions, indoor and outdoor furniture, awnings, rain wear, tarps, etc.

The carton dimensions are: 7.5" x 5.25" x 4.25", 1.05#'s, .101 cu.ft. The package dimensions are: 6.5" x 3.75" x 1.375".

41298 VLP Repair Kit, 1-oz, Carded *(Not for sale in Canada)* *#61Z09* *6*

MARINE TEX EPOXY PUTTY

Marine-Tex, the legendary high-strength repair compound designed for filling, bonding and rebuilding wood, fiberglass, ceramic, glass, metal, masonry and many plastics. Repairs leaks in fuel tanks, water tanks, piping, and shafting. Marine-Tex is manufactured to the highest standards to meet the harsh demands of the marine and industrial environments, and solve many problems for home, auto and hobby applications.

Marine-Tex is a creamy paste consistency that can be applied on vertical or horizontal surfaces, easily fills gaps, and can be shaped to rebuild damaged components. Marine-Tex can be sanded or ground to shape, tapped and drilled, and finished with most common paints and coatings.

Marine-Tex, White (Not for sale in Canada).

738472 2 oz. Size *#RM305K* *25*

738228 3/4 lb. Kit *#RM306K* *12*

MARINE-TEX FLEXSET EPOXY ADHESIVE

Marine-Tex FlexSet is a non-sagging, non-shrinking, permanently flexible adhesive. Sandable and paintable, FlexSet resists vibration and bending failures by curing to a tough, flexible consistency that creates an air and watertight seal between mating surfaces.

Bonds to PVC, Hypalon®, ceramic, rubber, polyurethane, glass, acrylic, steel, fiberglass, polycarbonate, wood, ABS, aluminum, Lexan® and dissimilar materials.

Bonds dissimilar materials like PVC to copper. FlexSet outperforms PVC Cement! Because of the vibration and shock resistance, FlexSet is highly recommended for PVC pipe repairs. As bonded joints shrink and expand the FlexSet moves with them. Therefore, it won't crack or break from the surface.

47532 Flex-Set, 1-oz. *(Not for sale in Canada)* *#RM321K* *1*

COGHLAN'S SEAM SEAL

Waterproofs sewn seams in nylon or other synthetic fabrics. Ends leaky seams in tents, rain wear, jackets, backpacks. Washable, dry cleanable, colorless, clear and flexible.

42087 Seam Seal *#8040* *12*

TEAR-AID® REPAIR PRODUCTS

WON'T PULL OFF WHEN STRETCHED!

TEAR-AID® has a unique composition that stretches and recovers absorbing the force that causes ordinary products to lift.

TEAR-AID® is the durable, flexible, airtight, watertight, puncture-resistant, industrial-strength patch that protects against abrasion, moisture, saltwater, UV sunlight and extreme temperatures.

TEAR-AID® Roll Type A - For the repair of canvas, rubber & neoprene, most plastics, nylon, fiberglass, stainless steel, aluminum, polyethylene, polypropylene, polyurethane, non-oiled leather, and Sunbrella®.

TEAR-AID® Roll Type B - For the repair of vinyl or vinyl coated items only.

Each TEAR-AID® Repair Patch Kit contains one 3" x 12" TEAR-AID® patch (cuts with scissors to any size), one 7/8" x 7/8" patch, one 1-3/8" x 1-3/8" patch, 12" reinforcement filament (for repairing tears at edges), two alcohol prep pads, and instructions in a high-gloss, retail-ready box.

Each TEAR-AID® Roll Box contains one 3" x 5' TEAR-AID® roll (cuts with scissors to any size, two alcohol prep pads, and illustrated instructions in retail-ready box).

Tear-Aid Pop Display:

95882 Type A, 20 Kits *#D-CASE-A-005* *1*

95880 Type B, 20 Kits *#D-CASE-B-005* *1*

95881 Mixed, 10 Kits A & 10 Kits B *#D-CASE-M-005* *1*

Tear-Aid Boxed Roll:

41216 Type A *#D-ROLL-A-20* *20*

41218 Type B *#D-ROLL-B-20* *20*

CAULKING GUN

Caulking gun for 1/10-gal. or 10-oz. cartridges.

40386 Caulking Gun *#77* *12*

LIFESAFE SUPER SEAL TAPE

Emergency repairs, stops leaks, forms solid rubber wrap. Strips clean, leaves no messy adhesive or residue. Holds 100psi at 220°F. Works wet or dry, greasy or dirty. Shrinks about 3% to form an airtight, waterproof seal. Use for outdoor plumbing, automotive hoses, broken water lines, electrical cables, garden hose repair, boat and RV repair, wire bundles, extension cord connectors, sports equipment, tool grips, power tools and rope ends.

47900 Super Seal Tape, 1" x 16 ft. *#RE3845ES* 12

AP PRODUCTS SIKAFLEX®-221

Sikaflex®-221 is the most well known brand of one component polyurethane sealant/adhesive in the world. Our workhorse. This fast curing product provides permanent elastic adhesion to a number of surfaces with excellent cut and tear resistance. Considered by many to be the ultimate choice in truck, trailer, RV and bus manufacturing. Designed to resist the shock and abuse encountered over countless road miles, Sikaflex®-221 will maintain its strength and adhesion over the long haul. Sikaflex®-221 is weather resistant, sandable, paintable and NSF approved for potable water and incidental food contact.

Sikaflex®-221, 300 ml cartridge:

48680 Alum Gray *#017-90892* 24
48684 Black *#017-90893* 24
48681 Champagne *#017-108190* 24
48682 Col. White *#017-106449* 24
48686 Coping Stone *#017-108191* 24
48683 White *#017-90891* 24

HI-TEC POLYURETHANE SEALANT PROJECT 1

A high performance, one part, all purpose sealant which forms a tough waterproof seal for outdoor applications. It is paintable and is an excellent choice for interior uses. It bonds to tile, glass, marble, ceramics, porcelain, brick, stone, concrete, other masonry surfaces, plastic, rubber, wood, painted surfaces and more.

46406 Polyurethane Sealant, 10-oz., White *#4007* 12

AP PRODUCTS SIKAFLEX®-715

Sikaflex®-715 provides peace of mind!

Sika® has dedicated considerable resources in developing a roof sealant for EPDM roof membrane. The result is a novel solution in RV roof sealing! Sikaflex®-715, is a cross-linking "chemical curing flexible, elastic, and durable roof sealant". This curing process imparts a highly elastic internal strength not found in traditional RV roof sealant products. Sikaflex®-715 will bond to a variety of roofing component substrates. Unlike other roofing sealants, Sikaflex®-715 has very low VOC's and won't crack under the most extreme conditions! Traditional roof sealants have high shrink characteristics and crack when exposed to the environment.

48688 Sikaflex®-715 Roof Sealant 300 ml cartridge *#017-187690* 24

SIKA SIKAFLEX SEALANT 505UV

Sikaflex®-505UV is a onecomponent silane terminated polymer (STP) with excellent UV and weathering resistance, and excellent adhesion to a wide variety of substrates. Contains no solvents or isocyanates and has a low VOC content.

47152 Sika Sikaflex Sealant 505UV, 300ml, White *#017-188024* 24

DYCO C-10 FLOW SEAL CAULK

A self-leveling caulk made with Dupont Hypalon® Rubber specifically for the RV/mobile home industry. An extremely weather resistant caulk (may be applied at-30˚ to 150˚) that will not crack or surface harden. It is paintable, mildew resistant and dries fast. Great for horizontal applications such as roofs on RV's, mobile homes, vents, seams, etc. Not for EPDM rubber roofs.

Flow Seal Caulk, 11 oz. Tube

49488 Grey Caulk *#C10-GREY* 10
49489 Ivory Caulk *#C10-IVORY* 10
49487 White Caulk *#C10-WHT* 40

LIFE INDUSTRIES

LIFE-SEAL® SEALANT

A unique combination of marine silicone and polyurethane formulated especially for fiberglass. Offers fast-curing, low-odor, high-adhesion, non-sagging, non-corrosive, non-yellowing formula. Provides a durable, permanent, watertight seal for joints subject to structural movement. For above and below the waterline. Adheres tenaciously to metal, glass, wood, Lexan, ABS and other materials.

2.8-Fl. oz. Tube:

15927 Black *#1162-C* 1
757233 Clear *#1160-C* 12
757234 White *#1161-C* 12

10.6-oz. Cartridge:

757235 Clear *#1169-C* 12
757236 White *#1170-C* 12

LIFE-CALK® SEALANT

A long lasting, permanently flexible marine polysulfide sealant which can be sanded, painted and used above and below the waterline. Tack-free in 1 to 3 days dependent on quantity and conditions. Provides excellent resistance to teak oils, gasoline and diesel fuel. Will bond to fiberglass, wood, metal, glass and itself. Cures to a firm flexible rubber seal with excellent waterproofing and adhesion qualities. Use underwater for emergency repairs. Do not use on Lexan or ABS.

2.8-oz. Tube:

738474 Black *#1031-C* 12
738475 White *#1030-C* 12

10.6-oz. Cartridge:

740033 Black *#1034-C* 1
740032 White *#1033-C* 12



SILICONE RUBBER SEALANT

An all-purpose, non-corrosive, low-odor marine silicone sealant. Tack-free in 30 minutes or less. Fully cured in 24 hours. For above the waterline sealant applications. Will not shrink, crack, dry out or yellow. Superior flexibility and adhesion to fiberglass, plastic, metal and wood. Retains hardness, flexibility and tensile strength even after years of exposure. Not sandable or paintable.

2.8-oz. Tube:

77699 Black *#1142-C* 1
754823 Clear *#1140-C* 12
754824 White *#1141-C* 12

10.6-oz. Cartridge:

754826 Clear *#1150-C* 12
754827 White *#1151-C* 12

STAR BRITE SILICONE SEALANT

Bonds fiberglass, plastic, wood, glass and metal. Unaffected by sunlight, weathering, most chemicals, solvents. Will not shrink or sag. Stays flexible from -70° to 480° F. Use above and below waterline. Easy-to-use applicator. Free applicator gun with each tube.

Silicone Sealant, Tube, 3-oz.:

755701 Black *#082103* 12
755700 Clear *#082102* 12
755699 White *#082101* 12

Silicone Sealant, 10.2 oz. Cartridge:

755118 Clear *#082122* 12
755117 White *#082121* 12

RTV SILICONE SEALANT

100% RTV SILICONE SEALANT is a high quality sealant that is the perfect choice for exterior and interior sealing and caulking. It bonds to metal, glass, marble, tile, ceramics, porcelain, painted surfaces, non-oily woods, plastic, and rubber. Use it for all your sealing needs. It is a great adhesive for bonding surfaces together. Conventional paint will not adhere. Paint first, then seal.

Silicone Sealant, 10.3-oz. Cartridge:

49713 Almond *#11109-12* 12
49711 Aluminum *#11101-12* 12
49712 Black *#11102-12* 12
49709 Clear *#11105-12* 12
40215 Colonial White *#11112-12* 12
49710 White *#11107-12* 12

EZ-RTV SILICONE SEALANT

Dispense 100% RTV Silicone right from the can... no caulking gun required! Project 1 Easy-RTV is a high quality silicone sealant that is the perfect choice for exterior and interior sealant jobs on the go! Will adhere to metal, glass, marble, tile, cera-mics, painted surfaces, non-oily woods, and rubber. Keep it in the tool box for quick-fix applications. Self-sealing applicator. Remove cured plug to use again and again.

46870 Silicone Sealant, 7.25 oz., Clear *#6305-12* 12

PRO FLEX RV SEALANT

Pro Flex RV from Geocel provides excellent adhesion to virtually all RV materials, can be applied in the harshest weather conditions (even rain and sub-freezing temperatures), and can withstand significant joint movement associated with RV travel.

ProFlex RV Cartridge, 10-oz.:

28430 Almond *#28809* 12
28675 Black *#28803* 12
28426 Crystal Clear *#28800* 12
28429 Bright White *#28827* 12
28428 White *#28801* 12

PRO FLEX RV BRUSHABLE

Pro Flex RV Brushable from Geocel will help stop leaks, prevent rust and is mildew resistant. It offers excellent adhesion even on damp and oily surfaces and can be applied at virtually any temperature. Paintable. Quart size (946ml).

48425 Crystal Clear, Qt. *#23800* 6

GEOCEL ADVANCED™ RV EPDM ROOF SEALANT

• Will not harm or swell EPDM membrane. • Immediately withstands exposure to the elements. • One-step application. • Adheres to EPDM, metal, and other prefabricated sheet goods (NOT FOR USE ON TPO). • Will not shrink; solvent-free.

This product works best for these applications. Materials: EPDM, Sheet Metal (HVAC) and Wood. Roofing Applications: Leak Repair, Roof Projections, Roof Seams, Termination Points and Scrim Edge Sealant.

44963 Advanced™ RVEPDM Roof Sealant *#56801* 12

PROJECT 1 SILICONIZED ACRYLIC LATEX

A single part sealant for both interior and exterior applications, to seal cracks or joints in or between wood, masonry, glass, plaster, pipes, foundations, etc., with high adhesion and a 20 year minimum life expectancy. Will not bleed or stain adjacent surfaces, including paint work.

Acrylic Latex, 10.1 oz.:

46464 White *#8007-12* 12

G-FLEX EPOXY

A toughened, versatile epoxy for permanent waterproof bonding of fiberglass, ceramics, metals, plastics, damp and difficult-to-bond woods. Contains two 4 oz. bottles of liquid epoxy (one 4 oz. resin and one 4 oz. hardener) in a plastic bag. G/flex Epoxy gives you 46 minute pot life and a long open or working time of 75 minutes at room temperature. It will reach an initial cure in 3–4 hours and a workable cure in 7–10 hours. G/flex has the ability to glue damp woods. It can be used on wet surfaces, even underwater when applied with specific techniques.

41732 G-Flex Epoxy Bottle, 2-4 oz *#650-8* 12

WEST SYSTEM 105 EPOXY RESIN



105 Resin is the base material of the West System family of products, on which all of the West System compounds are built. The resin is a clear, pale yellow, low-viscosity liquid epoxy resin. Formulated for use with West System hardeners, it can be cured in a wide temperature range to form a high-strength solid with excellent moisture resistance. It is designed specifically to wet out and bond with wood fiber, fiberglass, reinforcing fabrics and a variety of metals. An excellent adhesive, 105 will bridge gaps and fill voids when modified with West System fillers and can be sanded and shaped when cured. With roller applications, it has excellent thin-film characteristics to flow out and self-level without "fisheyeing." The resin cures clear so that you can achieve a natural finish when coating with varnish. It has a relatively high flash point and no strong solvent odor, making it safer to work with than polyesters. Resin viscosity is approximately 1000 cP (centipoise) at 72°F (22°C). *(Not for sale in Canada)*

Epoxy Resin 105:

44350 Quart *#105-A* 4
44351 .98 Gallon *#105-B* 4

EPISIZE™ GLASS TAPE

Versatile West System Episize™ 9-oz. woven fabric tapes are ideal for reinforcing chines, hull/deck corners and similar structural applications. When bonded with West System epoxy, they provide additional tensile strength to resist hairline crack development and abrasion. *(Not for sale in Canada)*

44385 729, 2" W x 10' *#729-10* 1

ADHESIVE & FAIRING FILLERS

(Not for sale in Canada)

403 Microfibers, a fine fiber blend, is used as a thickening additive with resin/hardener to create a multi-purpose adhesive, especially for bonding wood. Epoxy thickened with microfibers has good gap-filling qualities while retaining excellent wetting/penetrating capability. Color: off-white.

404 High-Density filler is a thickening additive developed for maximum physical properties in hardware bonding where high-cyclic loads are anticipated. It can also be used for filleting and gap filling where maximum strength is necessary. Color: off-white.

406 Colloidal Silica is a thickening additive used to control the viscosity of the epoxy and prevent epoxy runoff in vertical and overhead joints. 406 is a very strong filler that creates a smooth mixture, ideal for general bonding and filleting. It is also the most versatile filler in the West System line. Often used in combination with other fillers, it can be used to improve strength, abrasion resistance, and consistency of fairing compounds, resulting in a tougher, smoother surface. Color: off-white.

407 Low-Density filler is a blended microballoon-based filler used to make fairing putties that are easy to sand or carve. Reasonably strong on a strength-to-weight basis. Cures to a dark red/brown color.

410 Microlight™ is the ideal low-density filler for creating a light, easily-worked fairing compound especially suited for fairing large areas. Microlight mixes with greater ease than 407 Low-Density filler or microballoons and is approximately 30% easier to sand. It feathers to a fine edge and is also more economical for large fairing jobs. Not recommended under dark paint or other surfaces subject to high temperatures. Cures to a tan color.

44368 403 Microfibers, 6-oz. *#403-9* 1
44976 404 High-Density Filler, 15.2-oz. *#404-15* 1
44372 406 Colloidal Silica,1.9-oz. *#406-2* 6
44375 407 Low-density Filler, 4.7-oz. *#407-5* 1
44377 410 Microlight Filler, 2-oz. *#410-2* 1

APPLICATION TOOLS

(Not for sale in Canada)

800 Roller Covers. Thin polyurethane foam roller covers are ideal for epoxy, paint and varnish application. Can be cut into shorter widths to match the application area and cut into brushes for tipping off fresh coats of epoxy. Covers are 7" wide and sold in packages of two.

803 Glue Brushes. Handy, disposable, 1/2" x 6" glue application brushes with a metal handle. These brushes are useful in a wide variety of small bonding and coating applications.

805-806 Poly Mixing Pots. Cured epoxy easily pops out of these strong, reusable plastic mixing pots.

807 Syringes. Reusable syringes that can be loaded with epoxy mixture for injecting into tight spots. Ideal for hardware bonding and plywood repairs. Holds about 0.5 fl. oz.

808 Flexible Plastic Spreader. Flexible, double-edged, reusable spreader for flow coating, fairing and filling applications, and applying fabrics. 3-1/2" x 6".

809 Notched Spreader. 4" x 4" plastic spreader with 1/8", 3/16" and 1/4" notches on 3 sides for quickly applying modified epoxy at a constant rate. Useful when laminating large panels.

810 Fillable Caulking Tubes. Great for injec-ting large amounts of epoxy, laying a lengthy bead of epoxy or making fillets. Suitable for refil-ling until epoxy cures. For use with a standard caulking gun. Holds approximately 10 fl. oz.

Application Tools (Not for sale in Canada):

44388 800 Roller Covers, Pk/2 *#800-2* 1
44391 803 1/2" Glue Brushes, Pk/12 *#803-12* 1
44393 805 Poly Mixing Pot, 16-oz. *#805* 1
44394 806 Poly Mixing Pot, 32-oz. *#806* 1
44396 807 Syringes, Pk/2 *#807-2* 6
44397 808 Plastic Squeegees, Pk/2 *#808-2* 1
44399 810 Fillable Caulking Tubes, Pk/2 *#810-2* 12

USER MANUAL

This User Manual is the primary guide to the handling and basic techniques of epoxy use. It describes how to dispense, mix and modify West System epoxy for the basic coating, filling and bonding techniques used in most repair and construction procedures.

44345 User Manual *(Not for sale in Canada)* *#002-950* 4

HANDY REPAIR PACK

(Not for sale in Canada)

101 Handy Repair Pack. Here is everything you need to complete small repairs around the boat, shop or home. The Handy Repair Pack contains two West System 105 Resin/205 Hardener packets, and enough high-density filler to complete a variety of coating and bonding operations. Also included are an application brush, mixing stick, pipe cleaner, two cleaning pads and complete instructions. The components can be mixed in the disposable package.

44347 Handy Repair Pack *#101* 1

101-T Six resin/hardener packets only. Each pre-measured packet contains 16 g of 105 Resin and 3.2 g of 205 Hardener (19.2 g or 0.56 fl. oz. of mixed epoxy).

44348 LS Resin & Hardner, Pk/6 *#101-T* 1

205 & 206 HARDENERS

(Not for sale in Canada)

205 Fast Hardener is a medium-viscosity epoxy curing agent. It is used in a majority of situations, at lower temperatures and to produce a rapid cure that develops its physical properties quickly at room temperature. When mixed with the 105 Resin in a five-part resin to one-part hardener ratio, the cured resin/hardener mixture yields a rigid, high-strength, moisture-resistant solid with excellent bonding and coating properties. Not intended for clear coating.

44353 Fast Hardener, "A",.44 pint *#205-A* 4
44354 Fast Hardener, "B",.86 quart *#205-B* 4

206 Slow Hardener is a low-viscosity epoxy curing agent for use when extended working and cure time is needed or to provide adequate working time at higher temperatures. When combined with 105 Resin in a five-part resin to one-part hardener ratio, the cured resin/hardener mixture yields a rigid, high-strength, moisture-resistant solid with excellent bonding and coating properties. Not intended for clear coating.

44357 Slow Hardener, "A", .44 pint *#206-A* 4
44358 Slow Hardener, "B", .86 quart *#206-B* 4

WEST SYSTEM

MINI PUMP SET

300 Mini Pumps are designed for convenient and accurate metering. They mount directly on the resin and hardener containers and eliminate the mess involved with measuring by weight or volume. 300 Mini Pumps are calibrated to deliver the proper working ratio with one full pump stroke of resin for each one full pump stroke of hardener. Set contains one resin pump and two hardener pumps.

47290 Mini Pump Set
(Not for sale in Canada) #300 1

Russell PRODUCTS INCORPORATED

California Compliant

RUSSELL 676™ HIGH PERFORMANCE SPRAY ADHESIVE

Russell 676™ is famous for: high bond strength resistance low soak-in quick drying virtually transparent permanent or temporary bonding pressure sensitivity for repositioning contains no methylene chloride California Compliant.



Russell 676™ Spray Adhesive is a versatile and effective spray adhesive glue for a wide variety of substrates for home and industrial applications. This economical adhesive features a cost-effective 3-way adjustable valve, for low, medium and high applications. By offering an option of three lace spray patterns, the 3-way valve eliminates excess waste, providing just the right amount of adhesive.

Russell 676™ High Performance Spray Adhesive was specially formulated to bond polyethylene to itself, concrete block, wood and many other hard-to-bond substrates. It may also be used to bond paper, cardboard, fabric, urethane foam, foil to metal, and wood to itself. Whether you need a temporary bond, or a permanent high bond strength adhesive, from industrial to home applications, "Stick 'em up!" with Russell 676™ Spray Adhesive. It is certain to save you time, money and effort.

46292 676™ High Performance Spray Adhesive *#RPI-676* 12

WEST SYSTEM

A two-part epoxy adhesive in a convenient, self-metering cartridge. For permanent, waterproof, structural gap-filling and gluing.

SIX10 THICKENED EPOXY ADHESIVE

Six10™ Thickened Epoxy Adhesive combines the strength and reliability of a two-part WEST SYSTEM® Brand Epoxy with point-and-shoot convenience. The self-metering coaxial cartridge dispenses a gap-filling structural epoxy that bonds tenaciously to wood, metals, fiberglass and concrete. The tube comes with a static mixer that lets you lay down a bead of thickened epoxy with any standard caulking gun.

Six10's shear thinning properties make it "thinner" as it's worked. It can be easily tooled into a non-sagging fillet or used to wet out light to moderate reinforcing fabrics like fiberglass. The hardener provides a long open time but has fast thru-cure. Six10 stays workable in the static mixer for 42 minutes, making it practical for long or complicated assemblies.

44460 Six10 Epoxy Adhesive Cartridge
(Not for sale in Canada) #610 6

INSULATING FOIL

INSULATION & SOUND BARRIER FOR RVS!

THE INSULATOR

Suppresses noise, heat, cold and moisture that can interfere with the comfort and quiet of your motorhome. An excellent lightweight, easy to install insulation for Genset compartments, engine covers/compartments and under carpets or floor mats (does not affect the fit of any component that it is installed under). 3/8" thickness is made up of a dense packing of recycled cloth material, a highly effective "Firex" fire retardant coating and a space-age aluminized outer layer. Trim to any shape with household scissors and adhere in place with "Sticky Stuff" spray adhesive (#**49897**). Seal edges with "Insul-Tape" (#**40592**). Conforms to FMVSS safety standard 302. Coast Guard, F.A.A. approved (aircraft grade only). *Install with foil side toward source of heat or noise.*

4' x 6' Sheets Foil Insulation:

49896 1-Sided *#30000-11406* 60

40592 30' Insul-Tape™ *#60100-00200* 12

AP Products

47613 47615 45032

STA'-PUT SPRAY ADHESIVE PRODUCTS

STA'-PUT II Spray Adhesive for Foam Permanently bonds Styrofoam™ and other polystyrene materials in 4 minutes or less. Use with Sta'-Put spray adhesive to laminate polystyrene foam to other materials. Pressure sensitive and water resistant. 13-oz. can.

47613 Sta'Put II *#001-SP213ACC* 12

STA'-PUT Spray Adhesive Clear Excellent for most permanent adhesive applications. Bonds high-pressure laminate to various substrates. Suitable for industrial applications including manufactured housing, construction, RV, marine, furniture, textile, HVAC, and upholstery industries. Pressure sensitive. 15-oz. can.

47615 Sta'-Put Clear
#001-SPH15ACC 12

STA'-PUT S203 All purpose Aerosol Spray Cleaner is a biodegradable, natural solvent cleaner, degreaser and adhesive remover. It can be used on most surfaces and substrates, including painted surfaces, glass, porcelain, concrete, and is compatible with many plastics and vinyls. S203 is also effective for removal of adhesives, grease, oil stains, road tar, rubber marks, residue from decals, heel marks, graffiti, lipstick, release agents, and soap film.

STA'-PUT S203 is safer to use than most cleaners and adhesive removers and residue can be removed with water. It has exceptional cleaning/degreasing power; is non-corrosive, is biodegradable and has a pleasant citrus scent.

It is recommended that testing be performed on new substrates to determine suitability.

45032 Adhesive Remover and Degreaser, 14-oz. Can *#001-S203* 12

STICKY STUFF™ SPRAY ADHESIVE

Specially formulated to ensure proper bonding when installing single sided foil insulation. Even sticks to metal. One can adheres each 4' x 6' sheet of "Insulator" insulation. There are many other uses for this spray adhesive. (net wt. 10 oz.).

49897 Spray Adhesive
#60100-00100 12

PROFESSIONAL STRENGTH

GOOF OFF® PROFESSIONAL

Goof Off® Professional Strength is the Miracle Remover™ that cuts through the toughest spots and stains quickly. It even removes spots that would otherwise ruin your belongings. Use it to eliminate costly messes and mistakes around the garage, workshop and home. There's no other specialty remover that works faster or better. Low VOC formula is nationally compliant.

It cleans Adhesive & Glue, Oil & Tar, and Dried Latex Paint. It also cleans: • Hand Tools • Stains on carpet, clothing, upholstery • Crayon, Pen & Marker • Graffiti & Varnish • Gum • Candle Wax • Scuff Marks • Caulk • Lipstick & Makeup • Tar / Bugs / Tree Sap

FOR USE ON: Nylon, polypropylene, and wool carpets; fully cured varnished and oil-base painted surfaces, vinyl baseboard, laminated counter tops, vinyl floors, solid vinyl upholstery, all metals, glass, brick, wood, concrete, grout, vinyl tops, fiberglass, most fabrics.
CAUTION: Always test on inconspicuous area first. Damages many plastics, worn vinyl floors, some automotive paints, and some carpets.

Goof Off® Professional:

44622 4.5-oz. VOC Compliant, 2.3" W x 1.4" D x 4.1" H *#FG650* **12**

44637 16-oz. (Pint) VOC Compliant, 2.7" W x 2.7" D x 7.6"H *#FG653* **6**

LIFESAFE

LIFESAFE BUTYL CAULKING TAPE

Butyl tapes help prevent and reduce costly water damage. Tough rubber, pressure sensitive mass, offers excellent adhesion to a variety of surfaces (no applicators required). Used to seal out: dirt, dust, moisture and water. Easy to use in tape form. Low moisture vapor transmission value. A must requirement in any sealing application. Butyl tapes are packaged with an attractive illustration label plus comes in a rugged, reusable, resealable package for storing. USE FOR: Campers / Boats, RVs, Agricultural, Farm Buildings, Silos (Aluminum), Glazing/ Mirrors, Fastener, Doors / Storm Sash.

47901 Butyl Tape, 3/4" x 1/8" x 20', Gray Clamshell pack *#RE20758* **6**

GOOF OFF THE MIRACLE REMOVER!

As a running change from Goof Off® Citrus to Goof Off® Heavy Duty Spot Remover & Degreaser!

GOOF OFF® HEAVY DUTY SPOT REMOVER & DEGREASER

Goof Off® Heavy Duty Spot Remover & Degreaser works like magic to quickly remove difficult mistakes, spots and messes that ordinary household cleaners can't. It works the first time due to its powerful, micro-emulsion formula. It penetrates deep into spots, stains and greasy messes to make tough cleaning easy.

• Works the first time. • No oily residue. • Biodegradable. • No harsh fumes. • Safe for hard and soft surfaces (when used as directed).

GREAT FOR: • Grease & Grime • Sticker & Adhesive Residue • Asphalt & Tar • Stains • Crayon, Pen & Marker • Gum • Caulk • Scuff Marks • Lipstick, Nail Polish & Makeup • Bugs & Tree Sap • Fresh Latex Paint and more!

44623 1-oz Pump Spray *#FG701* **9**

DUCT TAPE

Strong, heavy-duty, waterproof, pressure sensitive duct tape.

Duct Tape, 2" Wide:

41288 60 Yards L *#CT600* **24**

41289 10 Yd. L, Carded *#CT600C* **24**

MASKING TAPE

An excellent all-purpose, general industrial masking tape offering a balance of quickstick, panel adhesion and holding properties. Meets requirements of U.S. Spec. U-T-106D, type 1.

Masking Tape, 60 yd. L:

41294 3/4" Wide *#CT10175* **6**

43626 1" Wide *#CT1011* **36**

43627 2" Wide *#CT1012* **24**

BUTYL TAPE

Ideal for sealing uniquely shaped joints. Installs quickly, without gaps. Apply along unusual patterns. Because the sealant is on a continuous roll, installer can work fast and be visually assured that there are no skips or runs in the seal.

79233 Butyl Tape only, 1/8" x 3/4" x 30', Each *#BT-1834-1* **24**

ELIXIR INDUSTRIES SINCE 1948



NON-TRIMMABLE BLACK BUTYL - 101

No. 101 Sealing Tape is a tough, black, non-hardening elastic butyl based material with excellent sealing properties. It is a pliable, tacky sealant tape which will adhere to any type of metal, wood, concrete, glass, plastics and porous surfaces. Excellent sealant for any lap joints. It is a non-trimmable material but could be cut with a utility knife. Its adhesion increases with age after being applied, assuring a long safe and durable seal. It is ideal for sealing roof and side panels such as aluminum to aluminum, galvanized to galvanized or aluminum to galvanized metal. It has a one year shelf life. Easier to work with in cooler climates.

Non-Trimmable Butyl Tape, Black:

48091 3/16" x 3/4" x 20 ft.; *#5055* **20**

48092 3/16" x 1" x 20 ft.; *#5050* **16**

ELIXIR INDUSTRIES SINCE 1948

PUTTY TAPE - 160

This natural colored putty tape is a heavy, flexible, non-hardening butyl material that remains pliable as packaged. It releases easily from its silicone-treated backer. For use under moldings; around windows, doors and vents. It can be used to seal and waterproof overlapping metals and can be easily shaped and formed to seal difficult areas. One year shelf life.

Putty Tape, Gray:

40005 1/8" x 3/4" x 30 ft. *#5631* **20**

40006 1/8" x 1" x 30 ft. *#5625* **16**

40026 3/16" x 1" x 20 ft. *#5650* **16**

40203 3/16" x 3/4" x 20 ft. *#5655* **20**

40208 1/4" x 3/4" x 18 ft. *#5677* **20**

ELIXIR INDUSTRIES SINCE 1948

TRIMMABLE BUTYL TAPE - 180

This trimmable butyl is an off-white, non-hardening elastic butyl based material. It provides excellent sealing adhesion to any type of metal, wood, concrete, glass, plastics and porous surfaces. Can be used under moldings; around windows, doors and vents. It can be trimmed easily with any stiff, pointed non-scratching object. This butyl increases in adhesion with age, after it is applied. One year shelf life. Easier to work with in warmer climates.

Trimmable Butyl Tape, Off-White:

48461 1/8" x 3/4" x 30 ft.; *#5831* **20**

48462 1/8" x 1" x 30 ft.; *#5825* **16**

48463 3/16" x 1" x 20 ft.; *#5850* **16**



WEATHER-STRIPPING

Easy to apply, self-adhering. Protects, seals, cushions, insulates, silences rattles and fills voids. Countless applications for vehicles and homes.

Order No.	Thick (in.)	W. (in.)	L. (ft.)
42199	3/16"	3/8	10
42760	3/16"	1/2	10
42762	3/16"	3/4	10
42764	5/16"	3/8	10
42765	5/16"	1/2	10
42200	5/16"	3/4	10
42768	7/16"	3/8	10
42769	7/16"	1/2	10
42201	7/16"	3/4	10
42770	7/16"	1	10
42203	9/16"	1/2	10
42772	9/16"	1	10

Bulk 50 ft. Roll Size:

42761 3/16" x 1/2" x 50ft. *#80018* 18

DOUBLE- SIDED FOAM TAPE

Professional grade moun-ting tape– dou-ble-face foam tape that really holds. Many uses. Holds tile, metal strips, paper, glass, pictures and more. 1"x 48".

43629 Foam Tape *#CT148* 36

CAP TAPE

Black cap tape with mylar backing has closed-cell PVC foam (with adhesive on one side) is used between the truck body and cap (topper). Seals out water, weather, dust, rattles and vibrations. Also functions as an all-purpose weather-stripping.

77389 Black Cap Tape, 1-1/2" W x 30 ft. L, Bulk *#8321C01AUG* 20

LIFESAFE CLEAR POLY AWNING REPAIR TAPE & TARP REPAIR TAPE

47879

47881

47902

LifeSafe emergency repair tape offers the utmost in durability, strength and unbelievably aggressive adhesion even on damp surfaces. Make it a vital part of your tool box or repair kit!

Clear Polyethylene Ultra Strong Tape:

47881 3" x 15 ft., RV Awning Repair Tape *#RE3848* 6

47879 2" x 36 ft., Heavy Duty Tarp Tape *#RE3855* 6

47902 RV Awning Repair Tape Display with 8 Packs Tape *#ST6016* 1

44237 44245 44253 44261

LIFESAFE ANTI-SLIP SAFETY GRIT STRIPS

Durable in wet or dry conditions. Self-adhesive strips are easy to use. Each strip has been pre-cut to fit most manufactured RV step applications. For RV's, boats, snowmobiles, docks, utility vehicles, ramps, skateboards, steps, farm equipment, ladders.

Black Anti-Slip Grit (Size, Strip by Pack):

44237 2" x 12", 4 *#RE624BLRV* 12

44245 3" x 16", 1 *#RE627BLRV* 12

44253 6" x 21", 1 *#RE629BLRV* 8

Yellow/Black Safety Grit Strips:

44261 6" x 21", 1 Strip *#RE630YBRV* 8

47865

47866

LIFESAFE PRODUCTS

ANTI-SLIP SAFETY GRIT TAPES

For safer footing on: steps, ladders, ramps, decks, docks, farm machinery, trucks, trailers, RV equipment, utility vehicles, campers lawn mowers, skateboards, playground equipment, etc.

Black Safety Grit Tape, Bulk (Self-Adhesive):

47865 LS 2" x 60 ft. *#RE142* 6

47866 4" x 60 ft. *#RE160* 3

47867 6" x 60 ft. *#RE161* 2

ANTI-SLIP SAFETY TAPE MERCHANDISER DISPLAY

Lets dealers display 3 bulk rolls and dispense by the foot. Contains: 1 Roll 1" x 60' Black (**47864**); 1 Roll 2" x 60' Black (**47865**) and 1 Roll 4" x 60' Black (**47866**).

47869 Merchandiser *#MR120* 1

INDOOR/OUTDOOR ANTI-SLIP SELF-ADHESIVE TAPE

Safer footing for smaller applications on: • Steps. • Ladders. • Ramps. • Decks. • Docks. • Farm machinery. • Trucks. • Trailers. • RV equipment. • Utility vehicles. • Campers. • Lawn mowers. • Skateboards. • Playground equipment.

47877 2" x 5 ft. *#RE172* 12

49511

49698

VALTERRA NON-SLIP GRIP TAPE

Improves footing on steps, ladders and trailers. Can be cut to any shape, adheres to any clean, dry surface and is durable in wet or dry conditions. Grit surface on top. Black.

Non-Slip Grip Tape, 60 ft. Roll:

49511 2" x 60 ft. *#A10-2260* 20

Non-Slip Grip Tape, Carded:

49698 2" x10 ft. *#A10-2210VP* 48

SURFACE SHIELDS

CARPET SHIELD®

Carpet Shield is a clear, self-adhering film that provides temporary protection for all types of RV carpeting. Its non-slip surface is a special blend of polyethylene which is highly resistant to tears or punctures. Carpet Shield protects against stains and tracked-in dirt.

Carpet Shield Protector:

42074 21" x 30' *#CS2130* 12
42054 21" x 200' *#CS21200* 1
42053 21" x 1000' *#CS211000* 1
42084 24" x 200' *#CS24200L* 1
42078 24" x 1000' *#CS241000* 1

FLOOR SHIELD™



Floor Shield is a self-adhering film offering temporary protection for hard surfaces, such as tile, marble, granite, vinyl, laminates and other surfaces.

Floor Shield for Hard Surfaces:

42095 LS 21" x 20' *#FS2120* 9
42085 24" x 200' *#FS24200L* 1

APPLICATOR

The applicator provides a fast and easy way to apply Carpet Shield and other floor protection to larger areas. Lightweight, but very durable.

42031 LS Applicator, 21" Roller *#A21* 1

PRO SHIELD

Pro Shield is the most versatile and durable mat available. Reusable, absorbs liquids, leakproof and easy to store.

Pro Shield:

43147 24" x 5' Mat *#OS2460* 1
43200 24" x 20' Roll *#PS2420* 1
42044 32" x 50' Roll *#PS3250* 1

TRAVEL SHIELD

Travel Shield is a clear film that protects RV's against bugs, tar and road debris. It can easily be trimmed around grill lights.

43154 Travel Shield, 36" x 32' Roll *#TR3632* 1

RV DIRT GRABBER

Designed for RV's and manufactured homes, the non-skid RV Dirt Grabber has 30 tabbed layers of tacky-surface film that removes dirt from footwear. Replacement mats are available.

RV Dirt Grabber:

42096 9" x 23" *#DGRV0923* 1
42098 17" x 23" *#DGRV1723* 1

SHOE COVERS

Shoe Covers are an easy way to protect carpets and floors from dust, dirt, scuffs and heel marks. Non-skid, Lightweight and disposable, one size fits all.

43155 Shoe Covers, One Polybag of 10-Pair/Bag *#SC3001PB* 10

SCRIM SHIELD

Scrim Shield is a durable and waterproof bottom board repair tape that creates a permanent seal on RV's and manufactured homes.

42099 Scrim Shield 4" x 180' Roll *#BP4180* 1

Recreational Value!
Enjoy the great outdoors. We'll help protect your RV from it.
Surface Shields cares about your RV and the environment. That's why we have developed affordable protective products such as Carpet Shield® for keeping your RV clean.
Carpet Shield®
• has a water-based adhesive
• keeps carpet looking new
• is transparent
• is odorless
• is environmentally friendly
• and is made in USA
SURFACE SHIELDS
Surface Shields, Inc
Temporary RV Surface Protection

LUBEMASTER SILICONE SPRAY

The ideal lubricant for tow bars, awning arms, window tracks, folding steps or for hundreds of other applications around the home and the RV. It's a dry silicone, which doesn't attract dirt or road grime that can cause binding.

38540 Lubemaster Spray *#747* 12

CRC® HEAVY DUTY SILICONE

A multi-use lubricant—forms a clear protective film to waterproof and lubricate. Use on anything: rubber, leather, canvas, fasteners, snaps, zippers. Resists cold and heat—effective from 40° up to 400° F. USCG certified No. 933. 7.5 oz. aerosol.

743340 Silicone Lube *#06077* 12

PROTECT-ALL SLIDE-OUT DRY LUBE

Specially formulated to do two jobs. Lubricates and protects all metal parts of the RV slide out assembly. Penetrates around moving parts and leaves a dry lubrication film to prevent rust and corrosion. It's an extreme pressure lubricant that's an excellent treatment for leaf springs, steering and suspension components, battery connections and any other metal surfaces that are subject to rust and corrosion.

45839 Slide-Out Lube, 16-oz. *(US only)* *#40003* 12

40293 Slide-Out Lube *16-oz. (Canada only)* *#40003C* 12

SLIDE-OUT RUBBER SEAL TREATMENT

Extends the useful life of rubber seals. Produces an anti-static, water-repellent, protective film that aids in guarding against premature deterioration while producing a dry, smooth surface that reduces excessive friction and wear on slide-out seals. Compatible with all rubber seals as well as their adjacent surfaces such as fiberglass, aluminum and vinyl.

46244 Seal Treatment, 17-oz. *(US only)* *#40015* 12

40296 Seal Treatment, 17-oz. *(Canada only)* *#40015C* 12

THETFORD SLIDE OUT LUBRICANT & CONDITIONER

RV SLIDE OUT LUBRICANT

• Lubricates slide rails and gears. • Stops squeaks and binding. • Sprays upside down. • Prevents rust. • 13-oz. aerosol.

47573 Slide Out Lubricant *#32777* 6

RV SLIDE OUT RUBBER SEAL CONDITIONER

• Prevents fading, cracking and deterioration. • Long-lasting UV protection. • Cleans, conditions and shines. • No wiping required. • 14-oz. aerosol.

47574 Seal Conditioner *#32778* 6

CRC® SCREWLOOSE®

A superfast, powerful, concentrated penetrating solvent that loosens and cleans. It instantly penetrates minute and tightly fitted crevices. Dissolves gum, rust and corrosion. Provides lubrica-ting residue that is clean and gum-free. 11 oz. size.

49576 Screwloose® *(Not for sale in Canada)* *#05330* 12

CRC® JUMP START INSTANT STARTING FLUID

A highly volatile priming fluid for starting all internal combustion engines at sub-zero temperatures. Saves starter and battery, reduces engine wear. Contains ethyl ether with upper cylinder lubricant and corrosion inhibitor. Will not clog air filter or harm catalytic converter. 11 oz. aerosol.

41681 Starting Fluid *(Not for sale in Canada)* *#05671* 12

CRC® FREEZE- OFF ™ SUPER PENETRANT

FREEZES, PENETRATES AND LOOSENS!

Upon contact, Freeze- Off immediately drops the temperature of the area in direct contact with the spray. The freezing effect cracks the rusted surface, allowing Freeze-Off to reach deeper and work more effectively than other penetrants to loosen rusted and corroded nuts, bolts, hinges, locks and more!

Constant exposure to moisture, salt air and salt water binds, erodes and destroys metal assemblies, fasteners and fittings. The highly superior penetrant formulation of Freeze-Off makes it ideal for hundreds of marine applications, including: metal hardware, tools, riggings, mast tracks, cleats, pulleys, latches, fasteners, tilt pins, trim rams, swivel mechanisms, winches, anchor chain reels, turn- buckles, terminal fittings, sacrificial zinc anode fittings, battery terminals, rod holders, fishing gear and trailer components.

40911 Freeze-Off Super Penetrant (Low VOC), 11.5 oz. *(Not for sale in Canada)* *#05002* 12

CRC® BRAKLEEN® NON-CHLORINATED BRAKE PARTS CLEANER - 50 STATE FORMULA

Removes brake fluid, grease, oil, and other contaminants quickly and effectively. Cleans & degreases brake parts, linings, calipers, drums and more! Extremely Flammable.

Applications: ABS, disc, drum brake cylinders, brake drums, brake linigs, brake shoes, calipers, clutch discs, disc brake pads, discs. Safe for use on all brake systems including: springs & wedge brakes.

44833 Brake Parts Cleaner - 50 State Formula,14-oz. can *(Not for sale in Canada)* *#05054* 12